Heat Risk in Kansas, by County, 2025

County	Number of Days by Risk of Heat-Related Impact					Percent of year with moderate or greater risk
	Little or no risk	Minor	Moderate	Major	Extreme	
Allen	233	101	24	7	0	8.5
Anderson	236	97	25	7	0	8.8
Atchison	239	94	28	4	0	8.8
Barber	217	120	19	9	0	7.7
Barton	218	126	16	5	0	5.8
Bourbon	241	94	28	2	0	8.2
Brown	246	94	20	5	0	6.8
Butler	241	101	19	4	0	6.3
Chase	230	107	22	6	0	7.7
Chautauqua	236	98	24	7	0	8.5
Cherokee	248	85	24	8	0	8.8
Cheyenne	224	112	24	5	0	7.9
Clark	204	147	12	2	0	3.8
Clay	226	117	17	5	0	6.0
Cloud	239	104	17	5	0	6.0
Coffey	237	101	23	4	0	7.4
Comanche	215	134	14	2	0	4.4
Cowley	236	106	20	3	0	6.3
Crawford	245	91	24	5	0	7.9
Decatur	231	104	23	7	0	8.2
Dickinson	224	116	20	5	0	6.8
Doniphan	248	90	22	5	0	7.4
Douglas	232	101	28	4	0	8.8
Edwards	217	135	10	3	0	3.6
Elk	236	97	25	7	0	8.8
Ellis	217	123	19	6	0	6.8
Ellsworth	222	114	22	7	0	7.9
Finney	200	146	17	2	0	5.2
Ford	209	140	13	3	0	4.4
Franklin	231	101	30	3	0	9.0
Geary	224	115	21	5	0	7.1
Gove	220	120	22	3	0	6.8
Graham	220	114	27	4	0	8.5
Grant	197	152	13	3	0	4.4
Gray	207	138	16	4	0	5.5
Greeley	200	145	17	3	0	5.5
Greenwood	233	100	26	6	0	8.8
Hamilton	201	144	16	4	0	5.5
Harper	226	109	23	7	0	8.2
Harvey	233	111	18	3	0	5.8
Haskell	202	152	9	2	0	3.0
Hodgeman	213	135	14	3	0	4.7
Jackson	233	100	26	6	0	8.8
Jefferson	237	93	29	6	0	9.6
Jewell	238	96	24	7	0	8.5
Johnson	243	91	28	3	0	8.5
Kearny	202	149	11	3	0	3.8
Kingman	228	112	17	8	0	6.8
Kiowa	225	121	15	4	0	5.2
Labette	232	99	24	10	0	9.3
Lane	214	133	15	3	0	4.9
Leavenworth	232	104	25	4	0	7.9
Lincoln	216	118	24	7	0	8.5
Linn	232	103	23	7	0	8.2
Logan	225	115	21	4	0	6.8

Heat Risk in Kansas, by County, 2025

County	Number of Days by Risk of Heat-Related Impact					Percent of year with moderate or greater risk
	Little or no risk	Minor	Moderate	Major	Extreme	
Lyon	224	113	20	8	0	7.7
McPherson	229	116	14	6	0	5.5
Marion	235	109	17	4	0	5.8
Marshall	234	110	16	5	0	5.8
Meade	211	142	10	2	0	3.3
Miami	239	97	26	3	0	7.9
Mitchell	238	104	16	7	0	6.3
Montgomery	234	99	26	6	0	8.8
Morris	232	104	23	6	0	7.9
Morton	197	152	14	2	0	4.4
Nemaha	244	97	19	5	0	6.6
Neosho	234	99	22	10	0	8.8
Ness	213	132	16	4	0	5.5
Norton	236	106	19	4	0	6.3
Osage	228	109	22	6	0	7.7
Osborne	225	114	19	7	0	7.1
Ottawa	214	125	20	6	0	7.1
Pawnee	223	126	14	2	0	4.4
Phillips	228	114	17	6	0	6.3
Pottawatomie	229	108	23	5	0	7.7
Pratt	216	123	20	6	0	7.1
Rawlins	230	108	21	6	0	7.4
Reno	230	113	15	7	0	6.0
Republic	240	101	18	6	0	6.6
Rice	230	114	15	6	0	5.8
Riley	225	112	23	5	0	7.7
Rooks	221	122	18	4	0	6.0
Rush	215	130	16	4	0	5.5
Russell	220	122	13	10	0	6.3
Saline	219	120	21	5	0	7.1
Scott	205	140	16	4	0	5.5
Sedgwick	244	95	21	5	0	7.1
Seward	201	151	12	1	0	3.6
Shawnee	225	103	28	9	0	10.1
Sheridan	221	114	25	5	0	8.2
Sherman	215	123	21	6	0	7.4
Smith	234	110	15	6	0	5.8
Stafford	225	120	17	3	0	5.5
Stanton	196	148	18	3	0	5.8
Stevens	199	152	12	2	0	3.8
Sumner	237	101	22	5	0	7.4
Thomas	226	111	20	8	0	7.7
Trego	223	119	18	5	0	6.3
Wabaunsee	224	112	20	9	0	7.9
Wallace	212	130	20	3	0	6.3
Washington	243	101	16	5	0	5.8
Wichita	200	144	17	4	0	5.8
Wilson	233	97	30	5	0	9.6
Woodson	233	101	22	9	0	8.5
Wyandotte	241	92	24	8	0	8.8
Kansas (Average)	**225.2**	**115.0**	**19.8**	**5.1**	**0.0**	**6.8**

Source: Centers for Disease Control and Prevention, National Environmental Public Health Tracking Network, https://ephtracking.cdc.gov/DataExplorer/ (accessed July 8, 2026).

Heat risk refers to days when elevated temperatures adversely impact individuals sensitive to heat, as well as those residing or working in environments with limited access to cooling or hydration.